

**PHYSICAL THERAPY FOR WOMEN**

**Business Office**

**Phone: 817-247-1130**

**Fax: 817-292-7930**

**Locations:**

**Fort Worth**

**Dallas**

**Colleyville**

---

## PELVIC FLOOR QUESTIONNAIRE

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_ **Date of Birth** \_\_\_\_\_

Please describe your main problem: \_\_\_\_\_  
\_\_\_\_\_

When did it begin? \_\_\_\_\_; is the onset associated with one particular event? If so, what was the event \_\_\_\_\_; is it getting:  
 better  worse or  staying the same

Please describe activities or things that you cannot do because of your problem \_\_\_\_\_  
\_\_\_\_\_

Are you on Hormone Replacement Therapy?  Yes  No If yes, please specify \_\_\_\_\_  
Are you using a vaginal cream?  Yes  No If yes, please specify \_\_\_\_\_

**SOCIAL HISTORY:**

Marital Status \_\_\_\_\_ Ages of children living at home \_\_\_\_\_  
Education level \_\_\_\_\_

Please briefly describe any difficulty moving around (limitations in walking, balance, getting out of a chair, etc.)  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

What are your hobbies? \_\_\_\_\_

**PLEASE COMPLETE THE FOLLOWING AS COMPLETELY AS POSSIBLY. YOUR THERAPIST WILL DISCUSS THIS INFORMATION WITH YOU.**

**OBSTETRICAL/GYNECOLOGICAL HISTORY:**

# of pregnancies \_\_\_\_\_ # of vaginal deliveries \_\_\_\_\_ # C-Sections \_\_\_\_\_  
Birth weight of babies \_\_\_\_\_ # of episiotomies \_\_\_\_\_

Did you have a painful episiotomy scar?  Yes  No

Length of labor? \_\_\_\_\_

Do you have pain with:  Sexual intercourse  Pelvic exam  Examination with speculum  
 Menses  Tampon insertion

Pelvic Pain:

Location of pain \_\_\_\_\_

What makes your pain better? \_\_\_\_\_

What makes your pain worse? \_\_\_\_\_

Are you having regular periods?  Yes  No

At what age did you start periods? \_\_\_\_\_

When was your Menopause onset? \_\_\_\_\_

At what age did your periods become regular? \_\_\_\_\_

Date of last pelvic examination \_\_\_\_\_

**Pelvic Floor Questionnaire (continued)**

Name \_\_\_\_\_ Date \_\_\_\_\_ Date of Birth \_\_\_\_\_

Have you ever been taught how to do pelvic floor or Kegel exercises?  Yes  No  
When? \_\_\_\_\_ By whom? \_\_\_\_\_  
How often do you do pelvic floor exercises? \_\_\_\_\_

**UROLOGICAL HISTORY:**

Date of last urinalysis \_\_\_\_\_  
Special Tests Performed? \_\_\_\_\_ Type \_\_\_\_\_ Date \_\_\_\_\_

Do you have a history or urinary tract infections?  Yes  No If yes, when was your last infection? \_\_\_\_\_

Do you have a history of urine loss as a child?  Yes  No  
as an adolescent?  Yes  No  
after childbirth?  Yes  No

Have you had: urethral dilations?  Yes  No If yes, specify reason: \_\_\_\_\_  
urodynamic tests?  Yes  No If yes, specify reason: \_\_\_\_\_  
recent catheter use?  Yes  No If yes, specify reason: \_\_\_\_\_  
cystoscopes?  Yes  No If yes, specify reason: \_\_\_\_\_

Previous treatment for incontinence?  Yes  No \_\_\_exercises \_\_\_medication \_\_\_surgery

**DO YOU EXPERIENCE A LOSS OF URINE: (check yes or no)**

With cough, laugh, sneeze?  Yes  No  
When lifting objects?  Yes  No  
With exercise?  Yes  No  
When you have a strong urge to urinate?  Yes  No  
On your way to the bathroom?  Yes  No  
Just as you get to the toilet/remove clothing?  Yes  No  
Other episodes of incontinence?  Yes  No

**DO YOU: (check yes or no)**

Experience an urge to urinate when you hear running water?  Yes  No  
Have pain with urination?  Yes  No  
Have burning with urination?  Yes  No  
Have blood in your urine?  Yes  No  
Have to strain to empty your bladder?  Yes  No  
Dribble after you empty your bladder?  Yes  No  
Do you feel you still have urine in your bladder after urinating?  Yes  No

**ABSORBENT PRODUCTS USED: (indicate # used per day)**

Pantyliner/pantysshield \_\_\_\_\_  
Menstrual pads (mini, maxi) \_\_\_\_\_  
Incontinence pad (poise, depends) \_\_\_\_\_  
Incontinence brief \_\_\_\_\_  
# of underwear changes \_\_\_\_\_  
Do you soak the pad fully?  Yes  No  
Do you change the pad each time it is wet?  Yes  No

**OCCURRENCE OF INCONTINENCE OF LEAKAGE**

Never  
 Less than 1/month  
 More than 1/month  
 Less than 1/week  
 More than 1/week  
 Almost every day  
 More than 1/day # \_\_\_\_

**SEVERITY**

No leakage  
 Few drops  
 Wet underwear  
 Wet outerwear

Name \_\_\_\_\_ Date \_\_\_\_\_ Date of Birth \_\_\_\_\_

**POSITION OR ACTIVITY WITH LEAKAGE**

- Lying down
- Sitting
- Standing
- Changing positions (from sit to stand)
- Intercourse
- Strong Urge

**HOW LONG CAN YOU DELAY THE NEED TO URINATE?**

- Indefinitely
- 1+ hours
- ½ hour
- 15 minutes
- Less than 10 minutes
- 1-2 minutes
- Not at all

**ACTIVITY THAT CAUSES URINE LOSS**

- Vigorous activity
- Moderate activity
- Light activity
- No activity

**PROLAPSE (Falling out Feeling)**

- Never
  - Occasionally/with menses
  - Pressure at the end of the day
  - Pressure with straining
  - Pressure with standing
  - Perineal pressure all day
- When does it occur? \_\_\_\_\_

**FREQUENCY OF URINATION (DAYTIME)**

- 0 Times Per Day
- 1-4
- 5-8
- 9-12
- 13+

**FREQUENCY OF URINATION (NIGHTTIME)**

- 0 Times Per Night
- 1
- 2
- 3
- 4+

**AFTER STARTING TO URINATE, CAN YOU COMPLETELY STOP THE URINE FLOW?**

- Can stop completely
- Can maintain a deflection of the stream
- Can partially deflect the urine stream
- Unable to deflect or slow the stream

**DO YOU HAVE TROUBLE INITIATING A URINE STREAM?**

- Never
- More than 1/month
- Less than 1/week
- Almost every day

**ATTITUDE TOWARDS PROBLEM**

- No problem
- Minor inconvenience
- Slight problem
- Moderate problem
- Major problem

**CONFIDENCE IN CONTROLLING YOUR PROBLEM**

- Complete confidence
- Moderate confidence
- Little confidence
- No confidence

**FUNCTIONAL LIMITATIONS: (check yes or no)**

- Do you have difficulty:
- Getting on/off the toilet?     Yes     No
  - Getting clothes on/off?     Yes     No
  - With toilet hygiene?     Yes     No
  - Getting out of bed?     Yes     No

**DAILY FLUID INTAKE:**

- Do you restrict fluids because of your incontinence?     Yes     No

